















	Modelo	Descripcion
REFLECTORES		
	FL02-10W	Foco led 10w con fuente de luz integrada , 600 lm
	FL02-10W-I	Foco led 10w con induccion , 600 lm
	sl1-8-10wb-n	Foco led 10w led epistar 4500k
	sl1-8-10wb-ww	Foco led 10w led epistar 2700k
	sl1-8-20wb-w	Foco 20w led epistar 6500k
	sl1-8-20wb-n	Foco 20w led epistar 6500k
	sl1-8-20wb-ww	Foco 20w led epistar 2700k
	sl1-8-30wb-w	Foco 30w led epistar 6500k
	sl1-8-30wb-n	Foco 30w led epistar 4500k
	sl1-8-30wb-ww	Foco 30w led epistar 2700k
	sl1-8-50wb-w	Foco 50w led epistar 6500k
	sl1-8-50wb-n	Foco 50w led epistar 4500k
	sl1-8-50wb-ww	Foco 50w led epistar 2700k
	sl1-8-70wf-w	Foco 70w led epistar 6500k
	sl1-8-70wf-n	Foco 70w led epistar 4500k
	sl1-8-70wf-ww	Foco 70w led epistar 2700k
	sl1-12-70we-smd-w	Foco 70w smd frío
	sl1-8-2x50wf-w	Foco 2x50w led epistar 6500k
	sl1-8-2x50wf-n	Foco 2 x50w led epistar 4500k
	sl1-8-2x50wf-ww	Foco 2 x50w led epistar 2700k
	sl1-8-3x50wf-w	Foco 3x50w led epistar 6500k

	sl1-8-3x50wf-n	Foco 3x50w led epistar 4500k
	sl1-8-4x50wf-w	Foco 4x50w led epistar 6500k
	sl1-8-4x50wf-n	Foco 4x50w led epistar 4500k
 	sl1-8-5x50wf-w	Foco 5x50w led epistar 6500k 17500-20000lm
	sl1-8-5x50wf-n	Foco 5x50w led epistar 4500k 17500-20000lm
	sl1-8-6x50wf-w	Foco 6x50w led epistar 6500k
	sl1-8-6x50wf-n	Foco 6x50w led epistar 6500k
	sl1-3-20wb-w-i	Foco epistar con sensor 20w 6500k
	sl1-3-20wb-n-i	Foco epistar con sensor 20w 4500k
	sl1-3-30wb-w-i	Foco epistar 30w con sensor 6500k
	sl1-3-30wb-n-i	Foco 30w con sensor 4500k
	sl1-3-50wb-w-i	Foco 50w con sensor 6500k
	sl1-3-50wb-n-i	Foco 50w con sensor 4500k
	sl1-1-10w-rgb	Foco 10w rgb carcaza negra
	sl1-1-20w-rgb	Foco 20w rgb carcaza negra
	sl1-2-10w-n	Foco 10w 4500k
	sl1-2-30w-n	Foco 30w 4500k
	sl1-2-50w-n	Foco 50w 4500k
	sl1-2-2x50w-n	Foco 2x50w 4500k
	sl1-4-10wb-w	Foco 10w 6500k con agarre y base amarilla 220v
	sl1-4-20wb-w	Foco 20w 6500k con agarre y base amarilla 220v
	sl1-12-20wa-w	Foco 20w sin driver 6500k
	sl1-12-20wa-n	Foco 20w sin driver 4500k
	sl1-12-50wa-w	Foco 50w sin driver 6500k
	sl1-12-50wa-n	Foco 50w sin driver 4500k

	bs20w-w	Foco 20w frio carcasa blanca
	bs30w-w	Foco 30w frio carcasa blanca
	bs50w-w	Foco 50w frio carcasa blanca

	bs111-10w-ww	Foco 10w calido smd
	sl1-12-20we-smd-ww	Foco 20w smd cálido
	sl1-12-20we-smd-w	Foco 20w smd frío
	sl1-12-30we-smd-ww	Foco 30w smd cálido
	sl1-12-30we-smd-w	Foco 30w smd frio
	sl1-12-50we-smd-ww	Foco 50w smd cálido
	sl1-12-50we-smd-w	Foco 50w smd frío



	sl1-9-50w-w	Foco 50w led epistar 6500k
	sl1-9-2x50w-w	Foco 2x50w led epistar 6500k

   	bs111-100w-w	Foco 100w epistar cob frio Ra: 80-85; 90-100LM/1W; AC85-265V; Isolated driver; PF=0.9; 6000-6500k
	bs111-150w-w	Foco 150w philips smd frio Ra: 80-85; 110-120LM/1W; AC85-265V; Isolated driver; PF=0.9; 6000-6500K;
	bs111-200w-w	Foco 200w philips smd con driver philips frio Ra: 80-85; 110-120LM/1W; AC85-265V; PF=0.9; 6000-6500K;
	bs111-250w-w	Foco 250w philips smd frio Ra: 80-85; 110-120LM/1W; AC85-265V; Isolated driver; PF=0.9; 6000-6500K;



bs111-300w-w	Foco 300w philips smd frio Ra: 80-85; 110-120LM/1W; AC85-265V; Isolated driver; PF=0.9; 6000-6500K;
--------------	--

Focos SOLARES

	bs122-10w-w	Foco con panel solar 10w frio6000-6500K; 6V 8W polysilic A 1*3.7V 5000MAH 4H Charging time 8H Working time Light sensor + intelligent remote control IP67 8~15meter Remote distance
	bs122-25w-w	Foco con panel solar 25w frio 6000-6500K; 6V 12W polysilic A 2*3.7V 5000MAH 4H Charging time 8H Working time Light sensor + intelligent remote control IP67 8~15meter Remote distance
	bs122-40w-w	Foco con panel solar 40w frio 6000-6500K; 6V 16W polysilic A 3*3.7V 5000MAH 4H Charging time 8H Working time Light sensor + intelligent remote control IP67 8~15meter Remote distance
	bs122-60w-w	Foco con panel solar 60w frio 6000-6500K; 10V 20W polysilic A 4*3.7V 5000MAH 4H Charging time 8H Working time Light sensor + intelligent remote control IP67 8~15meter Remote distance



Energia	Voltaje	Color
10w	185-265v	Fria
10w	185-265v	Fria
10w	220v	Neutro
10w	220v	Cálidos
20w	220v	Frío
20w	220v	Neutra
20w	220v	Cálidos
30w	220v	Frío
30w	220v	Neutra
30w	220v	Cálidos
50w	220v	Fría
		Neutra
		Cálida
70w	220v	Fría
		Neutra
		Cálida
70w	220v	Fría
100w	220v	Frío
100w	220v	Neutra
100w	220v	Cálido
150w	220v	Fría

150w	220v	Neutra
------	------	--------

200w	220v	Frío
		Neutro

250w	220v	Frío
		Neutro
300w	220v	Frío
		Neutro

20w	220v	Frío
		Neutro
30w	220v	Frío
		Neutro
50w	220v	Frío
50w	220v	Neutro
10w	220v	Color
20w		

10w	220v	Neutro
30w		
50w		
100w	220v	Neutro

10w	220v	Fría
20w		

20w	220v	Frío
		Neutro
50w	220v	Frío
		Neutro

20w	220v	frio
30w	220v	frio
50w	220v	frio

10w	220v	Cálido
20w	220v	Cálido
20w	220v	frio
30w	220v	Cálido
30w	220v	frio
50w	220v	Cálido
50w	220v	frio

50w	220v	Cálido
100w	220v	Cálido
100w	220v	fio
150w	220v	frio
200w	220v	frio
250w	220v	frio

300w	220v	frio
------	------	------



10W	6V	frio
-----	----	------

25w	6v	frio
-----	----	------

40w	6v	frio
-----	----	------

60w	10v	frio
-----	-----	------